

**SPRAY ADHESIVE MULTIPURPOSE Revision Number** 1

Revision Date 07-Jun-2018 Supersedes Date: 07-Jun-2018

# Section 1: Identification: Product identifier and chemical identity

**Product Identifier** 

Product Name SPRAY ADHESIVE MULTIPURPOSE

Product Code(s) 30612304

Other means of identification

Proper Shipping Name Aerosols

UN Number UN1950

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available

Details of manufacturer or importer

<u>Supplier</u>

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

**Emergency Telephone Number** 

Emergency telephone number 24-hr Emergency: 1800 033 111

## Section 2: Hazard(s) identification

## GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Aerosols	Category 1 - (H222)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2A - (H319)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H336)

### Label Elements

Flame

**Exclamation mark** 

Australia - EN Page 1/11

# SPRAY ADHESIVE MULTIPURPOSE Revision Number 1

•

Revision Date 07-Jun-2018

Supersedes Date: 07-Jun-2018

#### Health hazard



# Signal word DANGER!

#### **Hazard statements**

H222 - Extremely flammable aerosol

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Protect from sunlight

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other Hazards

# Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

## <u>Mixture</u>

## **SPRAY ADHESIVE MULTIPURPOSE**

Revision Number 1 Supersedes Date: 07-Jun-2018

Chemical Name	CAS No	Weight-%
2-Methylpentane	107-83-5	30 - 40%
Methylene chloride	75-09-2	10 - 30%
n-Heptane	142-82-5	0 - 10%
Cyclohexane	110-82-7	0 - 10%
Methylcyclohexane	108-87-2	0 - 10%
Non-hazardous ingredients	Proprietary	Balance

#### Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**FIRST AID** 

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get

medical attention immediately if symptoms occur.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

Revision Date 07-Jun-2018

persists.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with

skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

# Section 5: Firefighting measures

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Special exposure hazards in a fire

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only

by specialists. Containers may explode when heated.

SPRAY ADHESIVE MULTIPURPOSE Revision Number 1

Revision Number 1 Supersedes Date: 07-Jun-2018

### Protective equipment and precautions for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Revision Date 07-Jun-2018

### Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take

precautionary measures against static discharges.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

**Environmental Precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce

vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

#### Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and

wash before reuse.

**General hygiene considerations**Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and

clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or

clothing.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local

SPRAY ADHESIVE MULTIPURPOSE

Revision Number 1 Supersedes Date: 07-Jun-2018

Revision Date 07-Jun-2018

regulations.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

# Section 8: Exposure controls and personal protection

### **Control parameters**

Exposure Limits

Chemical Name	Australia	
Methylene chloride	50 ppm TWA	
75-09-2	174 mg/m³ TWA	
n-Heptane	400 ppm TWA	
142-82-5	1640 mg/m³ TWA	
	500 ppm STEL	
	2050 mg/m <sup>3</sup> STEL	
Cyclohexane	100 ppm TWA	
110-82-7	350 mg/m³ TWA	
	300 ppm STEL	
	1050 mg/m <sup>3</sup> STEL	
Methylcyclohexane	400 ppm TWA	
108-87-2	1610 mg/m³ TWA	

OEL as published by Safe Work Australia

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

**Hand protection** Impervious gloves. Wear suitable gloves.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

### Section 9: Physical and chemical properties

## Information on basic physical and chemical properties

Physical State Aerosol
Appearance Aerosol

Color Clear, colorless

Odor Solvent

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks •</u>

pH No data available
Melting point / freezing point
Boiling point / boiling range
Flash Point Not applicable, Aerosol
Evaporation Rate
Flammability (solid, gas)
No data available
Not applicable, Aerosol
No data available
Not applicable

Flammability Limit in Air

#### SPRAY ADHESIVE MULTIPURPOSE

Revision Number 1 Supersedes Date: 07-Jun-2018

Revision Date 07-Jun-2018

Upper flammability limit:
Lower flammability limit:
Vapor Pressure
Vapor Density

No data available
No data available
No data available
No data available

Relative Density 0.58

Water SolubilityInsoluble in waterSolubility(ies)No data availablePartition CoefficientNo data available

Autoignition Temperature >495 °C

Decomposition Temperature No data available

Kinematic Viscosity No data available

Dynamic Viscosity No data available

Explosive properties No information available

Oxidizing properties No information available

OTHER INFORMATION

Solid content (%)

VOC

No information available
No information available
No information available

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion Data** 

Sensitivity to Mechanical None.

**Impact** 

Sensitivity to Static Discharge Yes.

**Possibility of Hazardous Reactions** 

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

**Conditions to avoid** Heat, flames and sparks.

**Incompatible Materials** 

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition None known based on information supplied.

products

## Section 11: Toxicological information

### **Acute Toxicity**

## Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Specific test data for the substance or mixture is not available. May cause irritation

of respiratory tract.

## **SPRAY ADHESIVE MULTIPURPOSE**

Revision Number 1 Supersedes Date: 07-Jun-2018

Revision Date 07-Jun-2018

Eye contact Specific test data for the substance or mixture is not available. Irritating to eyes. (based

on components). Causes serious eye irritation.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

**Ingestion** Specific test data for the substance or mixture is not available Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea

**Symptoms** Redness. May cause redness and tearing of the eyes.

### Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 56,615.70 mg/kg

 ATEmix (dermal)
 9,316.00 mg/kg mg/l

ATEmix (inhalation-dust/mist) 183.00 mg/l

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene chloride	> 2000 mg/kg (Rat)	-	>86 mg/L (Rat) 4 h
n-Heptane	-	= 3000 mg/kg ( Rabbit )	= 103 g/m <sup>3</sup> (Rat) 4 h
Cyclohexane	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9500 ppm (Rat) 4 h
Methylcyclohexane	> 3200 mg/kg (Rat)	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD
			403)

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available. None known.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	Australia
Methylene chloride	Carc. 2
75-09-2	

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

## Section 12: Ecological information

**Ecotoxicity** 

Ecotoxicity .

# SPRAY ADHESIVE MULTIPURPOSE Revision Number 1

Revision Number 1 Supersedes Date: 07-Jun-2018

Revision Date 07-Jun-2018

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Methylene chloride 75-09-2	> 500 mg/L	LC50 96 h = 193 mg/L (Lepomis macrochirus flow-through) LC50 96 h = 193 mg/L (Lepomis macrochirus static) LC50 96 h 140.8 - 277.8 mg/L (Pimephales promelas flow-through) LC50 96 h 262 - 855 mg/L (Pimephales promelas static)	EC50 = 1 mg/L 24 h EC50 = 2.88 mg/L 15 min	EC50 48 h = 27 mg/L (Daphnia magna )
n-Heptane 142-82-5	-	LC50 96 h = 375.0 mg/L (Cichlid fish)	-	EC50 24 h > 10 mg/L (Daphnia magna )
Cyclohexane 110-82-7	EC50 72 h > 9.3 mg/L (Pseudokirchnerella subcapitata)	LC50 96 h 23.03 - 42.07 mg/L (Pimephales promelas static) LC50 96 h 48.87 - 68.76 mg/L (Poecilia reticulata static) LC50 96 h 3.96 - 5.18 mg/L (Pimephales promelas flow-through) LC50 96 h 24.99 - 44.69 mg/L (Lepomis macrochirus static)		EC50 24 h > 400 mg/L (Daphnia magna )
Methylcyclohexane 108-87-2	10 mg/l (Pseudokirchneriella subcapitata - OECD 201)	2.07 mg/l (Oryzias latipes )	-	3 mg/I (Daphnia magna - OECD 202)

# Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulative potential There is no data for this product.

**Component Information** 

Chemical Name	Partition Coefficient
Methylene chloride 75-09-2	1.25
n-Heptane 142-82-5	4.66
Cyclohexane 110-82-7	3.44

**Mobility** 

**Mobility in soil** No information available.

**Mobility** No information available.

Other Adverse Effects

Other Adverse Effects No information available.

# Section 13: Disposal considerstions

## Waste treatment methods

#### SPRAY ADHESIVE MULTIPURPOSE

Revision Number 1 Supersedes Date: 07-Jun-2018

•

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

Revision Date 07-Jun-2018

regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## Section 14: TRANSPORT INFORMATION

**ADG** 

**UN Number** UN1950 **Proper shipping name** Aerosols

Hazard Class 2

 Special Provisions
 63, 190, 277, 327, 344, 381

 Description
 UN1950, Aerosols, 2

**IATA** 

UN/ID No UN1950
Transport hazard class(es) 2.1
ERG Code 10L

Special Provisions A145, A167, A802

Limited Quantity (LQ) 30 kg G

**Description** UN1950, Aerosols, flammable, 2.1

**IMDG** 

UN Number UN1950
Transport hazard class(es) 2.1
EmS-No F-D, S-U
Limited Quantity (LQ) See SP277

**Special Provisions** 63,190, 277, 327, 344, 381, 959

Marine Pollutant Np

**Description** UN1950, Aerosols, 2.1

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

## Section 15: Regulatory information

#### REGULATORY INFORMATION

### **National Regulations**

## Australia

See section 8 for national exposure control parameters

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable

# National pollutant inventory

Subject to reporting requirement

Chemical Name	National pollutant inventory	
2-Methylpentane	20 MW Threshold category 2b total	
107-83-5	60000 MWH Threshold category 2b total	
	1 tonne/h Threshold category 2a total	
	25 tonne/yr Threshold category 1a total	
	400 tonne/yr Threshold category 2a total	
	2000 tonne/yr Threshold category 2b total	
Methylene chloride	10 tonne/yr Threshold category 1 20 MW Threshold category	
75-09-2	2b total	
	60000 MWH Threshold category 2b total	

# SPRAY ADHESIVE MULTIPURPOSE Revision Number 1

Revision Number 1 Supersedes Date: 07-Jun-2018

Revision Date 07-Jun-2018

1 tonne/h Threshold category 2a total
25 tonne/yr Threshold category 1a total
400 tonne/yr Threshold category 2a total
2000 tonne/yr Threshold category 2b total
20 MW Threshold category 2b total
60000 MWH Threshold category 2b total
1 tonne/h Threshold category 2a total
25 tonne/yr Threshold category 1a total
400 tonne/yr Threshold category 2a total
2000 tonne/yr Threshold category 2b total
10 tonne/yr Threshold category 1 20 MW Threshold category
2b total
60000 MWH Threshold category 2b total
1 tonne/h Threshold category 2a total
25 tonne/yr Threshold category 1a total
400 tonne/yr Threshold category 2a total
2000 tonne/yr Threshold category 2b total
20 MW Threshold category 2b total
60000 MWH Threshold category 2b total
1 tonne/h Threshold category 2a total
25 tonne/yr Threshold category 1a total
400 tonne/yr Threshold category 2a total
2000 tonne/yr Threshold category 2b total

### **International Inventories**

AICS Listed
NZIOC Not Listed
ENCS Not Listed
IECSC Not Listed
KECL Not Listed
PICCS Not Listed

## Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision Date 07-Jun-2018

**Revision Note** First time release.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: Exposure controls and personal protection

SPRAY ADHESIVE MULTIPURPOSE Revision Number 1

Revision Date 07-Jun-2018

Supersedes Date: 07-Jun-2018

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

Section 11: Toxicological information

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**