

# **Bostik Super Epoxy**

# SAFETY DATA SHEET - PART A

# 1. IDENTIFICATION

#### 1.1. Product identifier

Product name Bostik Super Epoxy (Resin)

Chemical family Epoxy Resin

#### 1.2. Intended use of the product

A high strength epoxy adhesive that enables fast permanent repairs to many surfaces

# 1.3. Name, address, and telephone of the responsible party

Company Permoseal (PTY) Ltd

Address 1 Beverley Close, Montague Gardens, 7441, Cape Town, South Africa

 Phone
 +27-21-555-7400

 Toll-free No.
 0800-222-400

 Website
 www.bostik.co.za

# 1.4. Emergency phone number

+27-21-555-7400

# 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

GHS Classification This product is classified as a hazardous mixture

# 2.2. Label elements

**GHS** Labelling

- This product is classified and labelled according to the CLP regulation.
- Hazard pictogram:



GHS07 GHS09

2.3. Signal word: Warning

# 2.4. Hazard determining components of labelling:

Bisphenol-A epichlorhydrin epoxy resin; Bisphenol F epoxy resin

# 2.5. Hazard statements:

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation


H411 Toxic to aquatic life with long lasting effects

# 2.6. Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection

P302+P352 If on skin: Wash with plenty of soap and water.





P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Seek medical attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/containers in accordance with national regulations.

#### 2.7. Additional information

Contains epoxy constituents. May produce an allergic reaction. Repeated exposure may cause skin sensitization.

#### 2.8. Other Hazards

No additional information available.

#### 2.9. Unknown acute toxicity

No data available

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture. This product is hazardous.

Ingredients	CAS Number	Contents (%)	Classification of Substance
Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	25068-38-6	30 - 60	Eye irrit.: Cat 2 Skin sens.: Cat 1 Skin irrit.: Cat 2 Aquatic chron.: Cat 2
Bisphenol F epoxy resin	9003-36-5	0 - 10	Eye irrit.: Cat 2 Skin sens.: Cat 1 Skin irrit.: Cat 2 Aquatic chron.: Cat 2
Terfenyl	26140-60-3	1 - 3	Aquatic chron.: Cat 1

#### 4. FIRST- AID MEASURES

#### 4.1. Description of first aid measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation Take victim into fresh air. In case of unconsciousness, place patient in a recovery position for

transportation. Seek medical advice.

Skin contact Wash skin with soap and water and rinse thoroughly. Seek medical attention if irritation persists.

Eye contact Rinse cautiously with water for 15 minutes. Remove any contact lenses if present and easy to do.

Continue rinsing. Obtain medical attention.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Obtain medical attention.

# 4.2. Most important symptoms and effects both acute and delayed

General May cause irritation in the uncured state.

Inhalation May cause damage to organs through prolonged or repeated exposure.

Skin contact May cause an allergic skin reaction in the uncured state.

Eye contact May cause serious eye irritation.

Ingestion May be harmful or have adverse effects.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray, dry chemical powder, foam, carbon dioxide

Unsuitable ext. media Do not use a direct stream of water

5.2. Special hazards arising from the substance or mixture

Fire hazard Not flammable

Explosion hazard Product is not explosive.



Safety Data sheet

#### 5.3. Advice for firefighters

Protection during firefighting Firefighters should wear full protective gear. Do not enter fire area without proper protective

equipment, including respiratory protection.

Hazardous combustion products Under certain conditions of combustion, traces of toxic substances cannot be excluded.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Do not get in eyes or skin, or on clothing.

6.2. For non-emergency personnel

Protective equipment Use appropriate personal protection equipment (PPE)

Emergency procedures Evacuate unnecessary personnel.

6.3. For emergency personnel

Protective equipment Use appropriate personal protection equipment (PPE)

Emergency procedures Secure the area and evacuate unnecessary personnel.

6.4. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.5. Methods and materials for containment and cleaning up

For containment Absorb and or contain spill with inert material.

Methods for cleaning up If recovery is not feasible, absorb with inert material. Place in a container suitable for

disposal. Dispose of in accordance with current local legislation.

#### 6.6. Reference to other sections

Refer to Section 8, Exposure controls and personal protection

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Handling temperature Normal ambient temperature

Hygiene measures Handle in accordance with good industrial hygiene and safety procedures. Wash hands and

other exposed areas with mild soap and water before eating or drinking.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible materials Strong oxidising agents, organic peroxides, acids

Maximum storage period 12 months, but may vary depending on storage conditions.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1. Control parameters

There are no established exposure limits for this product.

## 8.2. Exposure controls

Engineering controls Provide good ventilation when handling large quantities. No special measures are required if

stored and handled as above.

Hand protection Wear chemical resistant gloves

Eye protection Safety glasses

Skin and body protection Not required under normal conditions of use.

Respiratory protection Not required under normal conditions of use in a well-ventilated space.

Other information When using, do not eat or drink.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear, colourless liquid

Odour Mild

Density (g/cm<sup>3</sup> @ 20°C) Approximately 1.15

Solubility water Insoluble

#### 10. STABILITY AND REACTIVITY

Reactivity None expected under normal conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 

None expected under normal conditions.

Conditions to avoid Direct sunlight. Extremely high or low temperatures. Exposure to moisture.

Incompatible materials Strong oxidizing agents, organic peroxides, acids

Hazardous decomposition products Thermal decomposition releases carbon dioxide, carbon monoxide, nitrogen oxides.

#### 11. TOXICOLOGICAL INFORMATION

This product has not undergone any toxicological testing. Acute and chronic health effects are not expected as long as good hygiene and safety precautions are followed.

## 11.1. Information on toxicological effects

#### • Acute Toxicity:

Ingredient	Result	Species	Dose	
Bisphenol-A-(epichlorhydrin);	LD <sub>50</sub> Dermal	Rabbit	23000 mg/kg	
epoxy resin	LD <sub>50</sub> Oral	Rat	>15000 mg/kg	

#### 12. ECOLOGICAL INFORMATION

This product has not been tested for environmental effects. It is however toxic to fish and other aquatic organisms and poses a danger to drinking water if even small quantities leak into the ground.

#### 12.1. Toxicity:

Ingredient	Result	Species	Exposure
	EC <sub>50</sub> 11mg/l	Aquatic plants	72 hours
Bisphenol-A-(epichlorhydrin);	EC <sub>50</sub> 1.8mg/l	Daphnia	48 hours
epoxy resin	LC <sub>50</sub> 2mg/l	Fish	96 hours
	Chronic NOEC 0.3mg/l	Daphnia	-

# 13. DISPOSIBLE CONSIDERATIONS

Sewage disposal recommendations Do not dispose waste into sewer.

Waste disposal recommendations Whatever cannot be saved for recovery or recycling should be disposed of in accordance

with current local legislation.

## 14. TRANSPORT INFORMATION

#### 14.1. UN Number

ADR, ADN, IMDG, IATA
 UN 3082

# 14.2. UN Proper Shipping Name

ADR/ADN Environmentally hazardous substance, liquid, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin,

bisphenol F epoxy resin)

IMDG Environmentally hazardous substance, liquid, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin,

bisphenol F epoxy resin), Marine Pollutant

IATA Environmentally hazardous substance, liquid, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin,

bisphenol F epoxy resin)



#### 14.3. Transport hazard class

• ADR, ADN, IMDG, IATA LABEL



CLASS
 9 Miscellaneous dangerous substances and articles

# 14.4. Packing group

ADR, ADN, IMDG, IATA

#### 14.5. Environmental Hazards

Marine pollutant (IMDG), Special marking (ADR/AND), Special marking (IATA)



14.6. Special precautions for user Warning: Miscellaneous dangerous substances and articles

#### 15. REGULATORY INFORMATION

**15.1. Labelling** Classified as a hazardous product

15.2. National legislation None

#### **16. OTHER INFORMATION**

#### 16.1. Information sources

This SDS is prepared based on the information received from the suppliers

## 16.2. Full text of H-phrases referred to under Section 3

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

#### 16.3. Additional information

This document has been prepared in accordance with the SDS requirements of SANS 11014:2010

For intended use and applications see the Technical Date Sheet for the product. The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations.

Revision date 01/ April 2020



# SAFETY DATA SHEET - PART B

## 1. IDENTIFICATION

#### 1.1. Product identifier

Product name Bostik Super Epoxy (Hardener)

Chemical family Amine

1.2. Intended use of the product

2-part, clear, fast setting polymer compound for bonding

1.3. Name, address, and telephone of the responsible party

Company Permoseal (PTY) Ltd

Address 1 Beverley Close, Montague Gardens, 7441, Cape Town, South Africa

 Phone
 +27-21-555-7400

 Toll-free No.
 0800-222-400

 Website
 www.bostik.co.za

1.4. Emergency phone number

+27-21-555-7400

#### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

GHS Classification This product is classified as a hazardous mixture

#### 2.2. Label elements

**GHS** Labelling

- This product is classified and labelled according to the CLP regulation.
- · Hazard pictogram:





GHS07 GHS05

2.3. Signal word: Warning

## 2.4. Hazard determining components of labelling:

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

## 2.5. Hazard statements:

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

# 2.6. Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/sprays.

P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Seek medical attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/containers in accordance with national regulations.

## 2.7. Additional information

Contains epoxy constituents. May produce an allergic reaction

## 2.8. Other Hazards

No additional information available

# 2.9. Unknown acute toxicity

No data available



#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture. This product is hazardous.

Ingredients	CAS Number	Contents (%)	Classification of Substance
N,N,N',N'-tetramethyl-2,2'oxybis (ethylamine)	3033-62-3	1 - 5	Eye dam.: Cat 1 Skin Corr.: Cat 1B Acute tox.: Cat 3 Acute tox.: Cat 4

# 4. FIRST- AID MEASURES

#### 4.1. Description of first aid measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation Take victim into fresh air. In case of unconsciousness, place patient in a recovery position for

transportation. Seek medical advice.

Skin contact Wash skin with soap and water and rinse thoroughly. Seek medical attention if irritation persists.

Eye contact Rinse cautiously with water for 15 minutes. Remove any contact lenses if present and easy to do.

Continue rinsing. Obtain medical attention.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects both acute and delayed

General May cause irritation in the uncured state.

Inhalation May cause damage to organs through prolonged or repeated exposure.

Skin contact May cause an allergic skin reaction in the uncured state.

Eye contact May cause serious eye irritation.

Ingestion May be harmful or have adverse effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide

Unsuitable ext. media Not applicable

# 5.2. Special hazards arising from the substance or mixture

Fire hazard Not flammable

Explosion hazard Product is not explosive.

5.3. Advice for firefighters

Firefighting instructions Exercise caution when fighting any chemical fire.

Protection during firefighting Firefighters should wear full protective gear. Do not enter fire area without proper protective

equipment, including respiratory protection.

Hazardous combustion products Under certain conditions of combustion, traces of toxic substances cannot be excluded.

## 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures None.

6.2. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.3. For emergency personnel

Protective equipment Use appropriate personal protection equipment (PPE)

Emergency procedures Secure the area and evacuate unnecessary personnel.

6.4. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.



#### 6.5. Methods and materials for containment and cleaning up

For containment Absorb and or contain spill with inert material.

Methods for cleaning up If recovery is not feasible, absorb with inert material. Place in a container suitable for disposal.

Dispose of in accordance with current local legislation.

#### 6.6. Reference to other sections

Refer to Section 8, Exposure controls and personal protection

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Handling temperature Normal ambient temperature

Hygiene measures Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other

exposed areas with mild soap and water before eating or drinking.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible materials Strong oxidising agents, organic peroxides, acids

Maximum storage period 12 months, but may vary depending on storage conditions.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1. Control parameters

There are no established exposure limits for this product.

#### 8.2. Exposure controls

Engineering controls Provide good ventilation when handling large quantities. No special measures are required

if stored and handled as above.

Hand protection Wear chemical resistant gloves

Eye protection Safety glasses

Skin and body protection Not required under normal conditions of use.

Respiratory protection Not required under normal conditions of use in a well-ventilated space.

Other information When using, do not eat or drink.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear liquid
Odour Mild

Density (g/cm<sup>3</sup> @ 20°C) Approximately 1.14

Solubility water Insoluble

## 10. STABILITY AND REACTIVITY

Reactivity None expected under normal conditions.

Chemical stability Stable under normal conditions.

Conditions to avoid Direct sunlight. Extremely high or low temperatures. Exposure to moisture.

Incompatible materials Strong oxidizing agents, organic peroxides, acids

Hazardous decomposition products

Thermal decomposition may release carbon monoxide, carbon dioxide, nitrogen oxides

# 11. TOXICOLOGICAL INFORMATION

This product has not undergone any toxicological testing. Acute and chronic health effects are not expected as long as good industrial hygiene and safety precautions are followed.



# 12. ECOLOGICAL INFORMATION

This product has not been tested for environmental effects. It is however toxic to fish and other aquatic organisms and poses a danger to drinking water if even small quantities leak into the ground. No quantitative data is available but product does have a regulation of Class 2 (German Regulation) – hazardous for water.

#### 13. DISPOSIBLE CONSIDERATIONS

Sewage disposal recommendations Do not dispose waste into sewer.

Waste disposal recommendations Whatever cannot be saved for recovery or recycling should be disposed of in accordance

with current local legislation.

# 14. TRANSPORT INFORMATION

Road / rail transportADR / RIDNot regulatedMarine TransportIMDGNot regulatedInland waterwaysADNRNot regulatedAir transportIATANot regulated

#### 15. REGULATORY INFORMATION

15.1. Labelling Classified as a hazardous product

15.2. National legislation None

#### 16. OTHER INFORMATION

#### 16.1. Information sources

This SDS is prepared based on the information received from the suppliers

#### 16.2. Full text of H-phrases referred to under Section 3

H302 Harmful if swallowed.H315 Causes skin irritation.

H318 Causes serious eye damage.

# 16.3. Additional information

This document has been prepared in accordance with the SDS requirements of SANS 11014:2010

For intended use and applications see the Technical Date Sheet for the product. The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations.

Revision date 01/ April 2020

