

Bostik Blits Stik Super Glue Gel

SAFETY DATA SHEET

1. IDENTIFICATION

1.1. Product identifier

Product name Bostik Blits Stik Super Glue Gel

Chemical family Cyanoacrylate ester

1.2. Intended use of the product

Fast setting multipurpose cyanoacrylate adhesive gel

1.3. Name, address, and telephone of the responsible party

Company Permoseal (PTY) Ltd

Address 1 Beverley Close, Montague Gardens, 7441, Cape Town, South Africa

Phone +27-21-555-7400 Toll-free No. 0800-222-400 Website www.bostik.co.za

1.4. Emergency phone number

+27-21-555-7400

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification This product is hazardous

2.2. Label elements

GHS Labelling

- This product is classified and labelled according to the CLP regulation.
- Hazard pictogram:



GHS07

2.3. Signal word: Warning

2.4. Hazard determining components of labelling:

Ethyl Cyanoacrylate

2.5. Hazard statements

H227 Combustible liquid H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation

2.6. Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do. Continue rinsing.



2.7. Other Hazards

Bonds skin in seconds

a. Unknown acute toxicity

No data available

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture. This product is hazardous.

Ingredient	CAS No.	Contents (%)	Classification of Substance
Ethyl Cyanoacrylate	7085-85-0	60 - 100	Flam liq.: Cat 4 Skin Irritation: Cat 2 Eye Irritation: Cat 2 STOT SE: Cat 3
Treated Fumed Silica	67762-90-7	5 - 15	-

4. FIRST- AID MEASURES

4.1. Description of first aid measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation Remove victim to fresh air. Prolonged or repeated elevated exposure may cause allergic reactions

with asthma-like symptoms in sensitive individuals.

Skin contact Do not pull bonded skin apart. Wash skin with mild soap and water. Gently peel apart using a dull

instrument. If skin is burnt due to the rapid generation of heat by a large drop, seek medical attention. If lips are bonded, apply warm water to the lips and encourage wetting and pressure from saliva in

mouth. Peel or roll lips apart. Do not pull lips apart with direct opposing force.

Eye contact Immediately flush with plenty of water for 15 minutes. Obtain medical attention. If eyelids are bonded

closed, release eyelashes with warm water by covering with a wet pad. Do not force eye open. Cyanoacrylate will bond to eye protein and will cause a lachrymatory effect which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Medical attention should be sought in case solid particles of polymerized cyanoacrylate trapped behind the

eyelid caused abrasive damage.

Ingestion Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It is

almost impossible to swallow.

4.2. Most important symptoms and effects both acute and delayed

General May cause irritation.

Inhalation None expected under normal conditions of use. Prolonged or excessive inhalation may cause

respiratory tract irritation.

Skin contact May cause skin irritation. Bonds skin in seconds.

Eye contact May cause eye irritation.

Ingestion Not expected to show any significant signs or symptoms indicative of any adverse health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Water spray, dry chemical powder, foam, carbon dioxide

Unsuitable ext.media Not applicable

5.2. Special hazards arising from the substance or mixture

Fire hazard Flammable

Explosion hazard Product is not explosive.



5.3. Advice for firefighters

Protection during firefighting Firefighters should wear full protective gear. Do not enter fire area without proper protective

equipment, including respiratory protection.

Hazardous combustion products Under certain conditions of combustion, traces of toxic substances cannot be excluded.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures Do not get in eyes or skin, or on clothing. Contaminated surfaces will become very slippery.

6.2. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.3. For emergency personnel

Protective equipment Use appropriate personal protection equipment (PPE)

Emergency procedures Secure the area and evacuate unnecessary personnel.

6.4. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.5. Methods and materials for containment and cleaning up

For containment Absorb and or contain spill with inert material.

Methods for cleaning up If recovery is not feasible, absorb with inert material. Place in a container suitable for disposal.

Dispose of in accordance with current local legislation.

6.6. Reference to other sections

Refer to Section 8, Exposure controls and personal protection

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling temperature Normal ambient temperature

Hygiene measures Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other

exposed areas with mild soap and water before eating or drinking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry, cool and well-ventilated place away from heat, sparks and open flame. Keep container

closed when not in use. Recommended storage temperature: 2 - 8°C

Incompatible materials

Organic solvents, strong acids, strong alkalis, salts, alcohols

Maximum storage period

12 months, but may vary depending on storage conditions.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

Name	ACGIH TWA	OES STEL (1.5mg/m³)
Ethyl Cyanoacrylate	0.2ppm	0.3ppm

8.2. Exposure controls

Engineering controls Provide good ventilation when handling large quantities. No special measures are required

if stored and handled as above

Personal protective equipment Use appropriate personal protection equipment (PPE)

Eye protection Chemical splash goggles or safety glasses with side shields.

Skin and body protection

Use Nitrile gloves and aprons to prevent contact. Do not use PVC, nylon or cotton materials.

Respiratory protection

Not required under normal conditions of use in a well-ventilated space. Use NIOSH

approved respirator if there is potential to exceed exposure limits

Other information When using, do not eat or drink



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear, colourless viscous gel

Odour Sharp, irritating – odourless when cured

Density (g/cm³ @20°C) Approximately 1.1 Vapour density Approximately 3

Boiling point (°C) > 149Flash point (°C) > 80

Solubility water Polymerizes in the presence of water

VOC content < 2%; 20g/l (California SCAQMD Method 316B) (estimated)

10. STABILITY AND REACTIVITY

Reactivity None expected under normal conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and

alcohols.

Conditions to avoid Direct sunlight. Extremely high or low temperatures.

Incompatible materials Water, alcohol, amines, alkaline materials and peroxides.

Hazardous decomposition products None

11. TOXICOLOGICAL INFORMATION

11.1. Acute toxicity estimate (ATE):

Acute oral LD50 > 5000 mg/kg (rat)

Acute dermal LD50 > 2000 mg/kg (rabbit)

11.2. Other health effects:

Allergen, irritant, respiratory

12. ECOLOGICAL INFORMATION

This product has not been tested for environmental effects. Based on its components, this product is unlikely to result in any detrimental ecological effects.

13. DISPOSIBLE CONSIDERATIONS

Sewage disposal recommendations Do not dispose waste into sewer.

Waste disposal recommendations Whatever cannot be saved for recovery or recycling should be disposed of in accordance

with current local legislation

14. TRANSPORT INFORMATION

US DOT - Ground (49 CFR)

Proper Shipping name Combustible liquid, NOS (cyanoacrylate ester)

Hazard Class or Division Combustible liquid

Identification Number NA 1993
Packing Group III

Exceptions Unrestricted (not more than 450 litres)

International Air Transportation - (ICAO/IATA)

Proper Shipping name Aviation regulated liquid, NOS (cyanoacrylate ester)

Hazard Class or Division 9
Identification Number UN3334
Packing Group III

Exceptions Unrestricted (not more than 500ml)



Water Transportation - (IMO/IMDG)

Proper Shipping name Not regulated

Hazard Class or Division None
Identification Number None
Packing Group None
Exceptions None
Marine pollutant None

15. REGULATORY INFORMATION

15.1 Labelling Classified as a hazardous product

15.2 National legislation None

16. OTHER INFORMATION

16.1 Information sources

This SDS is prepared based on the information received from the suppliers

16.2 Full text of H-phrases referred to under Section 3

H227 Combustible liquid
H315 Causes skin irritation

H319 Causes serious eye irritation
H335 May cause respiratory irritation

16.3 Additional information

This document has been prepared in accordance with the SDS requirements of SANS 11014:2010

For intended use and applications see the Technical Date Sheet for the product. The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations.

Revision date November 2016

