

Sticky Tape

CLEAR ADHESIVE TAPE

Date: 30 March 2022 Fact Sheet No.: TDS02089

YOUR SMART ADVANTAGES

- High quality, easy tear, clear adhesive tape

- Strong and clean adhesion

– Suitable for everyday use on almost anything

USES

Bostik Sticky Tape is a strong and clear adhesive tape, suitable for everyday use around the home, office and school.

This handy, high quality, 50 micron sticky tape is clean and easy to use on almost anything, including paper, card, gift wrap and much more. Bostik Sticky Tape features a visible end tab

PRODUCT CHARACTERISTICS	
Colour	Clear
Form	50 micron, 50 meter roll (24mm wide) BOPP stationery tape
Total thickness	0.050 ± 0.003 mm
Composition	Acrylic emulsion
Product Code	30614974 Sticky Tape x 12 rolls
Storage/Shelf Life	Store for up to 24 months from date of manufacture when stored in original, unopened packaging under dry conditions within the temperature range of +5°C to +35°C.
Odour	Nil

TYPICAL PERFORMANCE DATA (Approx.)	
Tack	≥28 or ≤3.0 cm
Peel	≥0.50 kg/in
Tensile Strength	≥3.0 kg/in (easy-tear)
Elongation at break	≥20 % (easy-tear)
Coverage	Depends upon the size, shape and placement of items to be bonded.
Drying Times	Ready for immediate use

DIRECTIONS FOR USE

IMPORTANT: Before using Bostik Sticky Tape refer to the relevant Health & Safety Data Sheet, available at www.bostik.com/uk

PREPARATION

 The surfaces must be clean, dry and free from any dust or loose material.

APPLICATION

- 2. Find the end of the tape and peel it away from the roll to the desired length.
- 3. Simply tear the tape or cut it with a pair of scissors.
- 4. Place the tape against the surface to be stuck and press firmly for a permanent bond
- 5. Be careful not to touch the adhesive side as it might become less sticky.

CLEANING

Bostik Sticky Tape can be carefully peeled away from a hard surface.

PRECAUTIONS IN USE

Bostik Sticky Tape is unsuitable for use on very absorbent, damp, dusty, delicate or newly decorated surfaces. If in doubt carry out a small test first. Place precisely onto gift wrap as removal will usually result in the paper tearing.

Please be aware that the adhesives get stronger with time so remove with care.

For any application not covered please contact Technical Services on +44 (0)1785 272625 or visit www.bostik.com/uk for advice.

Recommendations and suggestions are for guidance only, since conditions of use are completely beyond our control.

For health and safety instruction, first aid measures and spillage and disposal instructions, see separate Health and Safety Data sheet for Bostik Sticky Tape available at www.bostik.com/uk

BOSTIK HOTLINE

Smart help +44 (0) 1785 272625

This disclaimer is issued by Bostik Limited ("the Company") and applies to the use of any products supplied by the Company ("the Products") displayed on this Technical Data Sheet ("TDS"). Please read this disclaimer carefully before using any of the Products. Using this TDS and/or the Product constitutes your acceptance of this disclaimer. Its contents shall prevail over any directions of use and any disclaimer and/or exclusion or limitation of liability of the Company which may appear on the packaging of the Products.

This disclaimer sets out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to any user of the Products ("Product User") in respect of any use made or resale by the Product User, of any of the Products in this TDS.

This disclaimer does not affect the Company's liability for death or personal injury arising from the Company's negligence in respect of the Products, nor its liability for fraud, or fraudulent misrepresentation, nor any other liability which cannot be excluded or limited under applicable law.

The Company's total liability however arising and whether caused by tort (including negligence and breach of statutory duty), breach of contract or otherwise, arising in connection with the use made or resale by the Product User of any of the Products in this TDS shall be limited to the price paid for the Product by the Product User.

The Company shall not be liable to the Product User for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims (including in respect of personal injury insofar as not caused by the Company's negligence) for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the use made or resale by the Product User of any of the Products in this TDS.

The Company shall not be liable to the Product User in relation to any loss for any use which is inappropriate or use which is otherwise than in accordance with the relevant instructions for use of the Products in this TDS or on the Product. Product Users are advised to confirm the suitability of the Products by their own tests.

This TDS covers just one of a large range of products supplied by the Company.

Full information on these products and advice on application is freely available from our fully trained staff throughout the country. In addition, specialist technical advice is available from our Technical Services Department. This TDS supersedes all previous TDSs relating to the Products, and users of it must ensure that it is the current issue. Destroy all previous TDS, and if in any doubt, contact the Company, quoting the code number in the top right hand corner on the front of this document.

SalesTel: 0844 371 1192customer.service@bostik.comTechnical AdviceTel: 0844 371 1197technical.service@bostik.comSafety Data SheetsTel: 01785 272625sds.box-eu@bostik.com