

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product Name BOSTIK CAR

**Other means of identification**

Synonyms None

**Recommended use of the chemical and restrictions on use**

Recommended use Consumer use

Restrictions on use No information available

**Supplier's details****Supplier**

Bostik South Africa  
1 Beverley Close  
Montague Gardens  
Cape Town  
South Africa  
7441  
Tel: +27 21 555 7400

Non-Emergency Telephone Number +27 21 555 7400

E-mail address psra.za@bostik.com

**Emergency telephone number**

Emergency Telephone Tel: +27 21 555 7400

Restrictions on emergency number 8am - 5pm (Monday - Friday)

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

**GHS Label elements, including precautionary statements**

Signal word Warning

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

## Hazard statements

Causes skin irritation.  
Causes serious eye irritation.

## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/clothing and eye/face protection.

### Skin

IF ON SKIN: Wash with plenty of water and soap.  
If skin irritation occurs: Get medical advice/attention.  
Take off all contaminated clothing and wash it before reuse.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

## Other hazards which do not result in classification

Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing.

## SECTION 3: Composition/information on ingredients

### Substance

Not applicable

### Mixture

Chemical name	CAS No.	Weight-%
Triethoxypropylsilane	2550-02-9	1 - <3
Silanetriol, methyl-, triacetate	4253-34-3	1 - <3

## SECTION 4: First aid measures

### Description of necessary first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a doctor.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	None known.
<b>Effects of Exposure</b>	No information available.

### Indication of immediate medical attention and special treatment needed, if necessary

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

Note to doctors Treat symptomatically.

## SECTION 5: Firefighting measures

<b>Suitable Extinguishing Media</b>	Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Full water jet.
<b>Specific hazards arising from the chemical</b>	Thermal decomposition can lead to release of irritating gases and vapours.
<b>Hazardous combustion products</b>	Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Silicon dioxide. Thermal decomposition can lead to release of irritating and toxic gases and vapours.
<b>Special protective actions for fire-fighters</b>	Wear self contained breathing apparatus for fire fighting if necessary.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

### Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Pick up and transfer to properly labelled containers.

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Other information** Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Take off all contaminated clothing and wash it before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs. Protect from moisture.

**Recommended storage temperature** Keep at temperatures between 10 and 35 °C.

**Incompatible materials** Strong oxidising agents.

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

## SECTION 8: Exposure controls/personal protection

### Control parameters

**Occupational exposure limits** Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Take off all contaminated clothing and wash it before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

**Appearance** Paste  
**Physical state** Solid  
**Colour** Black  
**Odour** Acetic acid  
**Odour threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	Not applicable
<b>Melting point / freezing point</b>	No data available	No information available
<b>Initial boiling point and boiling range</b>	> 35 °C / 95.0 °F	No information available
<b>Flash point</b>	>= 93 °C / 199.4 °F	CC (closed cup)
<b>Evaporation rate</b>	No data available	No information available
<b>Flammability</b>	No data available	No information available
<b>Upper/lower flammability or explosive limits</b>		
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapour pressure</b>	No data available	No information available
<b>Relative vapour density</b>	No data available	No information available
<b>Relative density</b>	No data available	No information available
<b>Solubility(ies)</b>		
<b>Water solubility</b>	Insoluble in water	No information available
<b>Solubility in other solvents</b>	No data available	No information available

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

Partition coefficient	No data available	No information available
Autoignition temperature	No data available	No information available
Decomposition temperature	No data available	No information available
Kinematic viscosity	No data available	No information available
Dynamic viscosity	No data available	No information available

## Other information

Explosive properties	No information available
Oxidising properties	No information available
Density	0.9 - 1.10

## **SECTION 10: Stability and reactivity**

Reactivity	Product cures with moisture.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	None known based on information supplied.

## **Section 11: TOXICOLOGICAL INFORMATION**

### Information on the likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. May cause redness and tearing of the eyes.
----------	---

### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	29,955.90 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapour)	>20 mg/l
ATEmix (inhalation-dust/mist)	>5 mg/l

#### Component Information

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Triethoxypropylsilane	>5510 mg/Kg (Rattus) (OECD 401)	-	-
Silanetriol, methyl-, triacetate	LD50 = 1600 mg/kg (Rattus) OECD 401	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Triethoxypropylsilane (2550-02-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal	0.5 mL	4 hours	Irritant

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

### Legend

**IARC (International Agency for Research on Cancer)**  
Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## SECTION 12: Ecological information

### Ecotoxicity

**Unknown aquatic toxicity** 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silanetriol, methyl-, triacetate	EC50 (72h): >500 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) >500 mg/l (Brachydanio rerio)	EC50 (48h) >500 mg/l (Daphnia magna)

**Persistence and degradability** No information available.

**Bioaccumulative potential**

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

## Component Information

Chemical name	Partition coefficient
Triethoxypropylsilane	3.1
Silanetriol, methyl-, triacetate	-2.4

**Mobility in soil** No information available.

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## SECTION 14: Transport information

**IMDG** Not regulated

**IATA** Not regulated

**ADR** Not regulated

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

**South Africa - Occupational Injuries and Diseases - Chemical Agents** Not applicable

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### Europe

#### **Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)**

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)**

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## SECTION 16: Other information

# SAFETY DATA SHEET

BOSTIK CAR

Revision date 01-Aug-2024

**Prepared By** Product Safety & Regulatory Affairs  
**Revision date** 01-Aug-2024  
**Revision note** No information available.

## **Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend **SECTION 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

## **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

## **Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

**End of Safety Data Sheet**