

Bostik Super Glue Gel

MULTI-PURPOSE REPAIR GLUE

TECHNICAL SHEET 04/10/2023

SMART ADVANTAGES

- Gel formula provides a non-drip application
- Water & heat resistant
- Safer formulation, odourless and solvent-free
- Slightly flexible so It resists knocks & drops



Bostik Super Glue Gel is a high viscosity super glue which bonds almost immediately on contact. It has hundreds of uses for the home and office.

USES

Bostik Super Glue Liquid works well for most non-porous materials, and forms a strong bond with:

- China
- Rubber
- Metal
- Ceramics
- Jewellery
- Most plastics

LIMITATIONS: Product not recommended on paper, plastics with an oil/ waxy appearance e.g. Polyethylene, Polypropylene or Teflon. Will not permanently bond glass or materials containing high alkaline content or regularly washed items.

PRODUCT CHARACTERISTICS	
Technology	Modified Ethyl Cyanoacrylate
Appearance	Clear
Typical working time	3-60 seconds
Full cure	24 hours



USING SUPER GLUE GEL

Please read and understand the Safety Data Sheet before using this product. SDS can be acquired by visiting www.bostik.com.au.

Ensure all surfaces that will be in contact with the sealant must be clean, dry, and free of dust, dirt, rust, oil, and other contaminants.

Wear protective gloves and eye protection.

APPLICATION

- First use: screw the nozzle onto the tube and remove the cap to use.
- Very carefully apply a small amount of glue to one surface only
- Bring the surface together and hold firmly for approximately 60 seconds

CLEANING

 Remove surplus adhesive using nail varnish remover or acetone.

STORAGE & SHELF LIFE

Store in a cool, dry conditions below 25°C out of direct sunlight. Shelf life is 12 months from the date of manufacture when stored as directed.

HEALTH & SAFETY

- DANGER Super Glue Liquid bonds skin and eyes in seconds.
- If accidental skin bonding happens, wash with warm soapy water and pry skin apart using a blunt instrument (such as a teaspoon handle).
- In case of eye contact, bath immediately with water and seek immediate medical attention.

Always read the Technical Data Sheet and Safety Data Sheet (SDS) before handling or use. Full product safety information required for safe use is not included in this data sheet. SDS available by request or at www.bostik.com.au

All recommendations and suggestions are for guidance only, as conditions of use are outside of our control.

For emergency information contact the Poisons Information Centre, phone 131 126 or the Emergency Response Service, phone 1800 033 111.

Bostik Australia 51-71 High St, Thomastown VIC 3041 P: 1800 267 845



This datasheet is for the general help of users. It is provided in good faith. The data is current and accurate to the best of our knowledge. Differing materials, substrates, environments, site conditions, and product storage, handling and application may affect results. Users should carry out tests to decide the product's suitability for purpose. This data sheet and the properties of the product may change without notice. Users, suppliers, and retailers should check that the data sheets they have are the latest. To the maximum extent permitted by law, Bostik disclaims all warranties in relation to manufacture and use of the product. Bostik is not liable for representations made by users, suppliers, or retailers about the product. Bostik is not liable for groundly and incorrect, careless, or negligent use or storage of the product, including use of out-of-date product. Any liability arising from use of the product is limited to the replacement or purchase price of the product. Bostik does not exclude rights and remedies that cannot be excluded by legislation, for example under the Australian Consumer Law (ACL). Sale of the product by Bostik is subject to the Bostik Australia Proprietary Limited Conditions and Terms of Sale. For more information on Bostik, products, and conditions of use and sale visit www.bostik.com.au