

This safety data sheet was created pursuant to the requirements of: GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

B/FABRIC GLUE 20GMRevision date06-Mar-2023Revision Number1Supersedes Date:13-Apr-2023

1. Identification

Product identifier

Product Name B/FABRIC GLUE 20GM

Pure substance/mixture Mixture

Details of the supplier of the safety data sheet

Responsible Party

Bostik (Shanghai) Management Co., Ltd

Building 1, No.968 Guanghua Road, Minhang District

Shanghai, China Tel: 021-60763101 Fax: 021-60763133

See section 16 for more information.

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec (India): 000-800-100-7141 Chemtrec (Indonesia): 001-803-017-9114

Chemtrec (Malaysia): Local 60-392125794, Toll-free 1-800-815-308 Chemtrec (Philippines): Local +63 2 8395 3308, Toll-free 1-800-1-116-1020

Chemtrec (Thailand): 001-800-13-203-9987

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Recommended use of the chemical and restrictions on use
Recommended use
Restrictions on use
No information available
No information available

2. Hazard(s) identification

Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Prevention

P264 - Wash hands thoroughly after handling

P281 - Use personal protective equipment as required

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/containers in accordance with local regulations

Other hazards

No information available.

Asia - EN Page 1/8

B/FABRIC GLUE 20GM Revision Number 1 Revision date 06-Mar-2023 Supersedes Date: 13-Apr-2023

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

4. First-aid measures

Description of necessary first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Ingestion Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

Most important symptoms/effects,

acute and delayed

Symptoms None known.

For emergency responders

Self-protection of the first aider No information available.

Note to physicians Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

chemical

Special protective actions for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Asia - EN Page 2/8

^{***} Any remaining ingredients are not hazardous

B/FABRIC GLUE 20GMRevision date06-Mar-2023Revision Number1Supersedes Date:13-Apr-2023

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

See Section 8 for information on appropriate personal protective equipment

Conditions for safe storage,

including any incompatibilities

Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

8. Exposure controls/personal protection

Occupational exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

No data available

Monitoring and observation processes

No applicable information was found.

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protectionSkin and body protection
No special protective equipment required.
No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid
Color White

Asia - EN Page 3/8

B/FABRIC GLUE 20GM Revision date 06-Mar-2023 **Revision Number** 1 Supersedes Date: 13-Apr-2023

Liauid Physical state Odor Slight

No information available **Odor threshold**

Property Values Remarks • Method

No data available Hq No data available pH (as aqueous solution) Melting point / freezing point No data available = 100 °C Initial boiling point and boiling

range Flash point

No data available **Evaporation rate** No data available **Flammability** Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure Relative vapor density No data available Relative density No data available Miscible in water Water solubility Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available **Dynamic viscosity** max 1000 cps

Additional information

Oxidizing properties No information available No information available Solid content (%) **Liquid Density** No data available

10. Stability and reactivity

Reactivity Product cures with moisture.

Stable under normal conditions. **Stability**

Sensitivity to mechanical

impact

None.

Sensitivity to static discharge None.

<u>Possibility of hazardous reactions</u> None under normal processing.

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

None known based on information supplied. Incompatible materials

Hazardous decomposition None known based on information supplied.

products

11. Toxicological information

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Skin contact

Asia - EN Page 4/8

B/FABRIC GLUE 20GM Revision Number 1 Revision date 06-Mar-2023 Supersedes Date: 13-Apr-2023

Ingestion Based on available data, the classification criteria are not met.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ toxicity

(repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil No information available.

13. Disposal considerations

Asia - EN Page 5/8

B/FABRIC GLUE 20GM Revision Number 1 Revision date 06-Mar-2023 Supersedes Date: 13-Apr-2023

Waste chemicals

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

14. Transport information

IMDGNot regulatedIATANot regulatedADRNot regulated

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Malaysia

- Chemical classification, Labelling and Safety Data Sheets Regulation, 2013(CLASS)
- Industry Code Of Practice 2014 (ICOP)

Indonesia

• Regulation no. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals, as amended by 23/M-IND/PER/4/2013

Singapore

• SS 586:2014

Vietnam

• Circular 04/2012/TT-BCT dated 13/02/2012

Philippines

• Rules and Procedures for the Safety Data Sheet (SDS), Labeling Requirements and Hazards classification under DENR Administrative Order No. 29, series of 1992 of Republic Act 6969

Chemical Control Order

Not applicable

Priority Chemical List (PCL)

Not applicable

Thailand

Hazard Classification and Communication System of Hazardous Substance B.E. 2555 (2012)

The Hazardous Substance Act B.E. 2556 (2013)

Not applicable

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

Asia - EN Page 6/8

B/FABRIC GLUE 20GMRevision date06-Mar-2023Revision Number1Supersedes Date:13-Apr-2023

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

16. Other information

Local Contacts

Bostik Findley (Malaysia) Sdn. Bhd	Bostik Asia Pacific	Bostik (Thailand) Co.,Ltd.
Lot 112 & 113,	1 Science Park Road, #04-01/05	1/32, 16A th Floor, Bangnathani Building,
Kawasan Perindustrian senawang,	West Wing, The Capricorn,	Soi Bangna-Trad 34, South Bangna,
seremban, negeri sembilian, Malaysia	Singapore Science Park II, Singapore	Bangna, Bangkok, Thailand
Tel: 606-6789788	117528	Tel: 66 (0) 2361 6460-7
Fax: 606-6789766	Tel: +65-6419-9161	Fax: 66 (0) 2361 6469
	Fax: +65-6419-9150	
Bostik Phillippines, Inc.	Bostik Indonesia	Bostik Vietnam Company Limited
35/F Raffles Corporate Center,	Setiabudi Atrium Building,	10 Doc Lap Avenue,
F. Ortigas Jr. Road	Level 2, Suite 203 A	VSIP 1. Thuan An District,
Ortigas Business Center,	Jl. HR Rasuna Said	BinhDuong Province. Viet Nam.
Pasig city, Phillippines	Jakarta Indonesia 12920	Tel: 84 650 3765105
Tel: 632-900-5656	Tel: 62 21 521 0404	Fax: 84 650 3765109
Fax: 632-900-5622	Fax: 62 21 521 0554	
Bostik India Private Ltd	Jiangsu Bositk Adhesive Co.,Ltd	Bostik Findley (China) Co.,Ltd
124/1 & 124/2A	No.15-9, Xinggang Road, Changshu	No.75, Xin Zhuang 2 Road, Yong He
Kachanayakanahalli	Enconomic Development Zone	District, GETDD
Behind Bommasandra Indl.Area	Jiangsu Province 215536	Guangzhou, 511356, China
Off Hosur Road, Hennagara Post,	Tel: 0086-512-52266000	TEL: 020 -32226211
Anekal Taluk	Fax: 0086-512-52266020	FAX: 020 -32226261
Bangalore - 562106, Karnataka,		
INDIA		
Tel: 0091-80-27833520		
Fax: 00 91-80-27831324		
Email: Bostikinfo.India@bostik.com		

Revision date 06-Mar-2023

Revision Note ***Indicates updated data since last publication.

Abbreviations and acronyms

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value

* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

Asia - EN Page 7/8

B/FABRIC GLUE 20GMRevision date06-Mar-2023Revision Number1Supersedes Date:13-Apr-2023

vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Asia - EN Page 8/8