



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

**ULTRAFINO SKIMCOAT WHITE**  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

## 1. Identification

### Product identifier

**Product Name** ULTRAFINO SKIMCOAT WHITE  
**Pure substance/mixture** Mixture

### Details of the supplier of the safety data sheet

#### Responsible Party

Bostik (Shanghai) Management Co., Ltd  
Building 1, No.968 Guanghai Road,  
Minhang District  
Shanghai, China  
Tel: 021-60763101  
Fax: 021-60763133

#### Manufacturer

Bostik Phillippines, Inc.  
35/F Raffles Corporate Center,  
F. Ortigas Jr. Road  
Ortigas Business Center,  
Pasig city, Phillippines  
Tel: 632-900-5656  
Fax: 632-900-5622

See section 16 for more information.

**E-mail address** SDS.AP@Bostik.com

### Emergency telephone number

**Emergency Telephone** 0532-8388 9090 (China only)  
**Chemtec** (Transport/Environmental): 1-800-424-9300  
1-703-527-3887 (Outside U.S.)

### Recommended use of the chemical and restrictions on use

**Recommended use** Adhesive  
**Restrictions on use** No information available

## 2. Hazard(s) identification

### Classification of the substance or mixture

<b>Skin corrosion/irritation</b>	Category 2
<b>Serious eye damage/eye irritation</b>	Category 2A
<b>Specific target organ toxicity - Single exposure</b>	Category 3
<b>Specific target organ toxicity - Repeated exposure</b>	Category 2

### Label elements



**Signal word** Warning

### **Hazard statements**

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H373 - May cause damage to organs through prolonged or repeated exposure

### **Precautionary statements**

#### **Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

P271 - Use only outdoors or in a well-ventilated area  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Response

P314 - Get medical advice/attention if you feel unwell  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P312 - Call a POISON CENTER or doctor if you feel unwell  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P362 + P364 - Take off contaminated clothing and wash it before reuse  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/attention

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other hazards

No information available.

## 3. Composition/information on ingredients

### Substance

Not applicable.

### Mixture

Chemical name	CAS No	Weight-%
Portland Cement	65997-15-1	40 - <60

\*\*\* Any remaining ingredients are not hazardous

## 4. First-aid measures

### Description of necessary first aid measures

<b>General advice</b>	If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Skin contact</b>	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash before reuse.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

### Most important symptoms/effects, acute and delayed

#### Symptoms

May cause redness and tearing of the eyes. Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

## For emergency responders

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Note to physicians** Treat symptomatically.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>).

### Special protective actions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.  
**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### Methods and material for containment and cleaning up

Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Prevent dust cloud. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash before reuse.

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

See Section 8 for information on appropriate personal protective equipment

### Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

## 8. Exposure controls/personal protection

### Occupational exposure limits

Chemical name	China	ACGIH TLV	India	Indonesia	Malaysia	Thailand	Vietnam
Portland Cement - 65997-15-1	TWA: 4 mg/m <sup>3</sup> total dust TWA: 1.5 mg/m <sup>3</sup> respirable dust	TWA: 1 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>		TWA: 4.0 mg/m <sup>3</sup> Non-silica dust group 2 total dust TWA: 2.0 mg/m <sup>3</sup> Non-silica dust group 2 respirable

**Note** See section 16 for terms and abbreviations

### Biological occupational exposure limits

No data available

### Monitoring and observation processes

No applicable information was found.

### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

If splashes are likely to occur, wear safety glasses with side-shields.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

#### Hand protection

Wear suitable gloves. Impervious gloves.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Powder
<b>Color</b>	White
<b>Physical state</b>	Solid
<b>Odor</b>	Odorless
<b>Odor threshold</b>	Not applicable

### Property

### Values

### Remarks • Method

<b>pH</b>	No data available	
<b>pH (as aqueous solution)</b>	No data available	
<b>Melting point / freezing point</b>	No data available	
<b>Initial boiling point and boiling range</b>	No data available	
<b>Flash point</b>	No data available	
<b>Evaporation rate</b>	No data available	
<b>Flammability</b>	No data available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>	No data available	

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Relative vapor density	No data available
Relative density	No data available
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

## Additional information

Oxidizing properties	No information available
Solid content (%)	100
Density	No data available

## 10. Stability and reactivity

<u>Reactivity</u>	Product cures with moisture.
<u>Stability</u>	Keep away from Incompatible materials. Stable under recommended storage conditions.
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
<u>Possibility of hazardous reactions</u>	None under normal processing.
<u>Conditions to avoid</u>	Product cures with moisture.
<u>Incompatible materials</u>	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.
<u>Hazardous decomposition products</u>	None known based on information supplied.

## 11. Toxicological information

### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. May cause redness and tearing of the eyes.

### Acute toxicity

### Numerical measures of toxicity

### Component Information

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity (single exposure)</b>	May cause respiratory irritation.
<b>Specific target organ toxicity (repeated exposure)</b>	If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS.
<b>Target organ effects Aspiration hazard</b>	Eyes. Respiratory system. Skin. Based on available data, the classification criteria are not met.

## 12. Ecological information

### Ecotoxicity

**Persistence and degradability** No information available.

**Bioaccumulative potential** No information available.

**Mobility in soil** No information available.

## 13. Disposal considerations

### Waste chemicals

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

**IMDG** Not regulated

**IATA** Not regulated

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

ADR Not regulated

## Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Malaysia

- Chemical classification, Labelling and Safety Data Sheets Regulation, 2013(CLASS)
- Industry Code Of Practice 2014 (ICOP)

##### Indonesia

- Regulation no. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals, as amended by 23/M-IND/PER/4/2013

##### Singapore

- SS 586:2014

##### Vietnam

- Circular 04/2012/TT-BCT dated 13/02/2012

##### Philippines

- Rules and Procedures for the Safety Data Sheet (SDS), Labeling Requirements and Hazards classification under DENR Administrative Order No. 29, series of 1992 of Republic Act 6969

#### **Chemical Control Order**

Not applicable

#### **Priority Chemical List (PCL)**

Not applicable

##### Thailand

- Hazard Classification and Communication System of Hazardous Substance B.E. 2555 (2012)

#### **The Hazardous Substance Act B.E. 2556 (2013)**

Not applicable

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

##### Europe

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SAFETY DATA SHEET

ULTRAFINO SKIMCOAT WHITE  
Revision Number 1.01

Revision date 24-Mar-2022  
Supersedes Date: 24-Mar-2022

## 2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## 16. Other information

### Local Contacts

Bostik Findley (Malaysia) Sdn. Bhd Lot 112 & 113, Kawasan Perindustrian senawang, seremban, negeri sembilan, Malaysia Tel: 606-6789788 Fax: 606-6789766	Bostik Asia Pacific 1 Science Park Road, #04-01/05 West Wing, The Capricorn, Singapore Science Park II, Singapore 117528 Tel: +65-6419-9161 Fax: +65-6419-9150	Bostik (Thailand) Co.,Ltd. 1/32, 16A th Floor, Bangnathani Building, Soi Bangna-Trad 34, South Bangna, Bangna, Bangkok, Thailand Tel : 66 (0) 2361 6460-7 Fax : 66 (0) 2361 6469
Bostik Philippines, Inc. 35/F Raffles Corporate Center, F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Philippines Tel: 632-900-5656 Fax: 632-900-5622	Bostik Indonesia Setiabudi Atrium Building, Level 2, Suite 203 A Jl. HR Rasuna Said Jakarta Indonesia 12920 Tel: 62 21 521 0404 Fax: 62 21 521 0554	Bostik Vietnam Company Limited 10 Doc Lap Avenue, VSIP 1. Thuan An District, BinhDuong Province. Viet Nam. Tel: 84 650 3765105 Fax: 84 650 3765109
Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Anekal Taluk Bangalore - 562106, Karnataka, INDIA Tel: 0091-80-27833520 Fax: 00 91-80-27831324 Email: Bostikinfo.India@bostik.com	Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu Economic Development Zone Jiangsu Province 215536 Tel: 0086-512-52266000 Fax: 0086-512-52266020	Bostik Findley (China) Co.,Ltd No.75, Xin Zhuang 2 Road, Yong He District, GETDD Guangzhou, 511356, China TEL: 020 -32226211 FAX: 020 -32226261

Revision date 24-Mar-2022  
Revision Note \*\*\*Indicates updated data since last publication.

### Abbreviations and acronyms

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)



# SAFETY DATA SHEET

**ULTRAFINO SKIMCOAT WHITE**  
**Revision Number** 1.01

**Revision date** 24-Mar-2022  
**Supersedes Date:** 24-Mar-2022

---

Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

## **Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

**End of Safety Data Sheet**