



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation of Hazardous Chemical Agents (HCA)

Revision date 28-Nov-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Product Name BOSTIK CLEAR GEL

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Adhesives.

Restrictions on use No information available

### Supplier's details

#### Supplier

Bostik South Africa  
1 Beverley Close  
Montague Gardens  
Cape Town  
South Africa  
7441  
Tel: +27 21 555 7400

Non-Emergency Telephone Number +27 21 555 7400

E-mail address psra.za@bostik.com

### Emergency telephone number

Emergency Telephone Tel: +27 21 555 7400

Restrictions on emergency number 8am - 5pm (Monday - Friday)

## SECTION 2: Hazards identification

### Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Category 3 Target organ effects: Narcotic effects.	
Flammable liquids	Category 2

### GHS Label elements, including precautionary statements

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024



Signal word

Danger

## Hazard statements

Causes serious eye irritation.  
May damage fertility or the unborn child.  
May cause drowsiness or dizziness.  
Highly flammable liquid and vapour.

## Precautionary Statements - Prevention

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/clothing and eye/face protection.  
Wash face, hands and any exposed skin thoroughly after handling.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Use only outdoors or in a well-ventilated area.  
Ground and bond container and receiving equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Keep cool.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTRE or doctor if you feel unwell.

### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## Precautionary Statements - Storage

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

## Other hazards which do not result in classification

Harmful to aquatic life with long lasting effects. In use, may form flammable/explosive vapour-air mixture.

## SECTION 3: Composition/information on ingredients

### Substance

Not applicable

### Mixture

Chemical name	CAS No.	Weight-%
Acetone	67-64-1	50 - <70

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

Methyl ethyl ketone	78-93-3	10 - <20
Diocetyl tin bis(2-ethylhexyl thioglycolate)	15571-58-1	0.1 - <1
Monooctyl tin tris(2-ethylhexyl thioglycolate)	27107-89-7	0.1 - <1

## SECTION 4: First aid measures

### Description of necessary first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## SECTION 5: Firefighting measures

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Hazardous combustion products</b>	Carbon oxides. Hydrogen chloride.
<b>Special protective actions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See
-----------------------------	--

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

## Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

## Methods and material for containment and cleaning up

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

## **SECTION 7: Handling and storage**

### Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

**Recommended storage temperature** Keep at temperatures between 5 and 25 °C.

**Incompatible materials** None known based on information supplied.

## **SECTION 8: Exposure controls/personal protection**

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

## Control parameters

### Occupational exposure limits

Chemical name	Occupational exposure limits	Restricted exposure limits
Acetone 67-64-1	-	TWA: 500 ppm STEL: 1000 ppm
Methyl ethyl ketone 78-93-3	-	TWA: 400 ppm STEL: 600 ppm Sk*
Diocetyl tin bis(2-ethylhexyl thioglycolate) 15571-58-1	-	TWA: 0.2 mg/m <sup>3</sup> except Cyhexatin Sn Sk*
Monooctyl tin tris(2-ethylhexyl thioglycolate) 27107-89-7	-	TWA: 0.2 mg/m <sup>3</sup> except Cyhexatin Sn Sk*

### Biological occupational exposure limits

Chemical name	South Africa
Acetone 67-64-1	25 mg/L - urine (Acetone) - end of shift
Methyl ethyl ketone 78-93-3	2 mg/L - urine (Methyl ethyl ketone (MEK)) - end of shift

## Appropriate engineering controls

**Engineering controls**                      Showers  
   Eyewash stations  
   Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection**                      Tight sealing safety goggles.

**Skin and body protection**                      Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.  
   Antistatic boots.

**Hand protection**                              Wear suitable gloves. Impervious gloves.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Appearance**                                      Gel  
**Physical state**                                      Liquid  
**Colour**    Clear  
**Odour**    Solvent  
**Odour threshold**                                      No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	Not applicable Insoluble in water
<b>Melting point / freezing point</b>	No data available	No information available
<b>Initial boiling point and boiling range</b>	56 °C / 132.8 °F	No information available
<b>Flash point</b>	-18 °C / -0.4 °F	No information available

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

Evaporation rate	No data available	No information available
Flammability	No data available	Flammable liquid
Upper/lower flammability or explosive limits		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	No information available
Relative vapour density	No data available	No information available
Relative density	No data available	No information available
Solubility(ies)		
Water solubility	Insoluble in water	No information available
Solubility in other solvents	No data available	No information available
Partition coefficient	No data available	No information available
Autoignition temperature	No data available	No information available
Decomposition temperature	No data available	No information available
Kinematic viscosity	No data available	No information available
Dynamic viscosity	No data available	No information available

## Other information

Explosive properties	No information available
Oxidising properties	No information available
Density	0.87 g/cm <sup>3</sup>

## SECTION 10: Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

## SECTION 11: Toxicological information

### Information on the likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
----------	--

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

## Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapour)	>20 mg/l
ATEmix (inhalation-dust/mist)	>5 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	=5800 mg/kg (Rattus) 3000 mg/Kg (mouse)	>15800 mg/Kg (Rattus)	=79 mg/l(Rattus) 4 h
Methyl ethyl ketone	=2483 mg/kg (Rattus)	= 5000 mg/kg (Oryctolagus cuniculus)	=11700 ppm (Rattus) 4 h
Diocetyl tin bis(2-ethylhexyl thioglycolate)	=2100 mg/kg (Rattus)	> 2000 mg/kg (Rattus)	-
Monooctyl tin tris(2-ethylhexyl thioglycolate)	=3400 mg/kg (Rattus)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

Acetone (67-64-1)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			irritant

Methyl ethyl ketone (78-93-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			irritant

**Respiratory or skin sensitisation** No information available.

Acetone (67-64-1)			
Method	Species	Exposure route	Results
GPMT - Guinea pig maximisation test	Guinea pig	Dermal	Not a skin sensitiser

Methyl ethyl ketone (78-93-3)	
-------------------------------	--

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

**STOT - single exposure**

May cause drowsiness or dizziness.

Acetone (67-64-1)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Experiences made in practice					Narcotic effects

Methyl ethyl ketone (78-93-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Experiences made in practice					May cause drowsiness or dizziness Causes central nervous system depression

**STOT - repeated exposure**

No information available.

Acetone (67-64-1)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	Oral	200-3400 mg/kg bw/d	91 days	No Observed Adverse Effect Level LOAEL 1700 mg/kg bw/d
Not specified	Rat	Inhalation	19000 ppm	14, 28, 56 days	NOAEC 19000 ppm No Observed Adverse Effect Level

Methyl ethyl ketone (78-93-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Sub-chronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapour	1254, 2518, 5041 ppm/6h/d	90 days	NOAEC 5014 ppm

**Aspiration hazard**

No information available.

## SECTION 12: Ecological information

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L (Oncorhynchus mykiss)	EC50 48 h 10294 - 17704 mg/L (Daphnia magna Static)
Methyl ethyl ketone	EC50=1972 mg/l (Pseudokirchneriella subcapitata)	LC50: 3130 - 3320mg/L (96h, Pimephales promelas)	EC50 48 h > 308 mg/L (Daphnia magna)
Diocetyl tin bis(2-ethylhexyl thioglycolate)	-	LC50: >93.2mg/L (96h, Brachydanio rerio)	EC50: 0.17 - 0.18mg/L (48h, Daphnia magna)
Monooctyl tin tris(2-ethylhexyl thioglycolate)	EC50: =0.71mg/L (72h, Desmodesmus subspicatus)	LC50: =73mg/L (96h, Brachydanio rerio)	EC50: >1mg/L (48h, Daphnia magna)

**Persistence and degradability**

No information available.

**Acetone (67-64-1)**

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	91 % Readily biodegradable



# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

Biodegradability: CO2 Evolution Test (TG 301 B)			
---	--	--	--

## Methyl ethyl ketone (78-93-3)

Method	Exposure time	Value	Results
OECD Test No. 301D: Ready Biodegradability: Closed Bottle Test (TG 301 D)	28 days	biodegradation	98 % Readily biodegradable

## Bioaccumulative potential

## Component Information

Chemical name	Partition coefficient
Acetone	-0.24
Methyl ethyl ketone	0.3

**Mobility in soil** No information available.

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## SECTION 14: Transport information

### IMDG

**UN number or ID number** UN1133  
**UN proper shipping name** Adhesives  
**Description** UN1133, Adhesives, 3, II, (-18°C c.c.)  
**Transport hazard class(es)** 3  
**Packing group** II  
**EmS-No.** F-E, S-D

### IATA

**UN number or ID number** UN1133  
**UN proper shipping name** Adhesives  
**Description** UN1133, Adhesives, 3, II  
**Transport hazard class(es)** 3  
**Packing group** II  
**Special Provisions** A3

### ADR

**UN number or ID number** UN1133  
**UN proper shipping name** Adhesives  
**Description** UN1133, Adhesives, 3, II, (D/E)  
**Transport hazard class(es)** 3  
**Packing group** II  
**Classification code** F1  
**Environmental hazards** No  
**Special Provisions** 640D

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

## SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

**South Africa - Occupational Injuries and Diseases - Chemical Agents**

Chemical name	South Africa - Occupational Injuries and Diseases - Chemical Agents
Acetone - 67-64-1	Listed
Methyl ethyl ketone - 78-93-3	Listed
Diocetyl tin bis(2-ethylhexyl thioglycolate) - 15571-58-1	Listed
Monooctyl tin tris(2-ethylhexyl thioglycolate) - 27107-89-7	Listed

International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

Europe

**Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)**

**SVHC: Substances of Very High Concern for Authorisation:**

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)  $\geq 0.1\%$

Chemical name	SVHC candidates
Diocetyl tin bis(2-ethylhexyl thioglycolate) 15571-58-1	X

**Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)**

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## SECTION 16: Other information

**Prepared By** Product Safety & Regulatory Affairs  
**Revision date** 28-Nov-2024  
**Revision Note** No information available.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend **SECTION 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value Sk\* Skin designation

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database

# SAFETY DATA SHEET

BOSTIK CLEAR GEL

Revision date 28-Nov-2024

---

International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

## Disclaimer

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

**End of Safety Data Sheet**